

15. (NEW) The use of the method and the sensor in claim 3 in machines for controlling and certifying the defects in textile fabrics or similar.

16. (NEW) The use of the method and the sensor in claim 4 in machines for controlling and certifying the defects in textile fabrics or similar.

17. (NEW) The use of the method and the sensor in claim 5 in machines for controlling and certifying the defects in textile fabrics or similar.

18. (NEW) The use of the method and the sensor in claim 6 in machines for controlling and certifying the defects in textile fabrics or similar.

19. (NEW) The use of the method and the sensor in claim 7 in machines for controlling and certifying the defects in textile fabrics or similar.

20. (NEW) The use of the method and the sensor in claim 8 in machines for controlling and certifying the defects in textile fabrics or similar.

REMARKS

Claims 1 through 20 are in this application and are presented for consideration. Claims 3 - 6, 8 and 9 have been amended. The amended claims present the same subject matter as the original claims but have been amended to adapt them to the U. S. style. The

new claims present subject matter similar to the original claims, but in a different form.


The claims have been amended in order to place this application in better form.

No new matter has been added.

Favorable action on the merits is respectfully requested.

Respectfully submitted
for Applicant,

By:


John James McGlew
Registration No. 31,903
McGLEW AND TUTTLE, P.C.

JJM:aes
70266.1

Enclosed: Version of Claims Showing Changes

DATED: July 25, 2001
SCARBOROUGH STATION
SCARBOROUGH, NEW YORK 10510-0827
(914) 941-5600

SHOULD ANY OTHER FEE BE REQUIRED, THE PATENT AND TRADEMARK OFFICE
IS HEREBY REQUESTED TO CHARGE SUCH FEE TO OUR DEPOSIT ACCOUNT 13-
0410.

I HEREBY CERTIFY THAT THIS CORRESPONDENCE IS BEING DEPOSITED WITH
THE UNITED STATES POSTAL SERVICE AS EXPRESS MAIL IN AN ENVELOPE
ADDRESSED TO: COMMISSIONER OF PATENTS AND TRADEMARKS,
WASHINGTON, D.C. 20231, NO.: EL455157278US

McGLEW AND TUTTLE, P.C.
SCARBOROUGH STATION, SCARBOROUGH, NY 10510-0827

BY: Forianna Bate DATE: July 25, 2001

09912760-072501
T05220-092760

CLAIMS

1. Method for determining the angles of oblique and arched distortion of a textile fabric or similar, with the use of at least one optical detector with axes of symmetry orientated with respect to the fabric, characterised by the following steps:
- impulse illumination of an area of the fabric or similar with a light source;
 - acquisition, in digital form, of a real image of an area of the fabric or similar, irrespectively of the orientation of said optical detector with regard to the fabric, with illumination of said fabric for just the time necessary to acquire the image;
 - rotation of the image and compensation for the orientation of the axes of symmetry of the optical detector with regard to the fabric;
 - storing of said image on memory devices inside the optical detector;
 - application to said image of algorithms useful for increasing the reliability of the results of subsequent processing;
 - application of the two-dimensional Fourier transformation to the recorded image;
 - calculation of the angle of local distortion by analysis of the two-dimensional spectrum of the

Fourier transformation; and

- calculation of the angles of oblique and arched distortion, starting from the angles of local distortion.

- 5 2. Method according to claim 1, where the value of the local angle is generated only on the request of a central supervision and control system.
- 10 3. Method according to claim 1 ~~or 2~~, in which the illumination of the fabric or similar is carried out with single impulses and the acquisition of the images is ^{synchronized} ~~synchronised~~ with said impulses.
- 15 4. Method according to ^{claim 1} ~~any of the previous claims~~, in which the fabric or similar is fixed.
5. Method according to ^{claim 1} ~~any of the claims 1-3~~, in which the fabric or similar is in movement.
- 20 6. Sensor for determining the angles of oblique and arched distortion of a fabric or similar according to ^{claim 1} ~~any of the previous claims~~, characterised by the fact of including within a single functional unit:
 - ^{focusing} ~~Focussing~~ optics of the area to be examined;
 - ^{an} ~~An~~ impulse illuminator;
 - ^{an} ~~An~~ illuminator control circuit for commanding the duration of the illumination; and
 - ^{an} ~~An~~ integrated acquisition, processing and communication unit.

09912750-072501

20

25

7. Sensor according to claim 6, in which the integrated acquisition, processing and communication unit includes a static matrix photosensitive device.

5 8. Faller device intended for the treatment of the textile fabric or similar, by means of actuators for controlling correction of the distortion angles, characterized
characterised by at least one sensor according to
claim 6
claims 6 and 7 for detecting the local deformations and by a supervision and control system for acquiring and processing the values of said local deformations, and for controlling the actuators of the faller machine.

10
15 9. The use of the method and the sensor in ^{claim 8}~~claims 1-8~~ in machines for controlling and certifying the defects in textile fabrics or similar.

09912760 "072501
T05220" 0922660